

A SOURCE OF INFORMATION TO SUPPORT YOU ON YOUR TREATMENT JOURNEY

WITH GOMEKLI™ (mirdametinib)

- &
- 844-CARES-55 (844-227-3755)
- 844-227-3747
- springworkstxcares.com/gomekli
- (a)

info@springworkstxcares.com

What is GOMEKLI?

GOMEKLI (mirdametinib) is a prescription medicine used to treat adults and children 2 years of age and older with neurofibromatosis type 1 (NF1) who have plexiform neurofibromas that cause symptoms and cannot be completely removed by surgery.

It is not known if GOMEKLI is safe and effective in children under 2 years of age.

IMPORTANT SAFETY INFORMATION

Before taking GOMEKLI tell your healthcare provider about all of your medical conditions, including if you:

- have eye problems
- have heart problems
- are pregnant or plan to become pregnant. GOMEKLI can harm your unborn baby.

Please see additional Important Safety Information on pages 9-10 and click here for full Prescribing Information.



1 mg tablets for oral suspension

1 mg and 2 mg capsules

Not actual patients

Connecting You or Your Loved One to the Support You Are Looking for on Your Journey With GOMEKLI™ (mirdametinib)

SpringWorks CareConnections™ is a free, personalized patient support program to help you navigate your insurance coverage, answer questions about your treatment, and help you get started and stay on track with GOMEKLI.



INSURANCE NAVIGATION AND FINANCIAL HELP

We do not want concerns about cost or insurance coverage to come between you and your medication. Our team of Nurse Advocates are here to provide information about financial assistance options, as well as explain your insurance coverage for GOMEKLI.



PERSONALIZED EDUCATIONAL AND EMOTIONAL SUPPORT

Our team of Nurse Advocates can provide treatment support as it relates to your condition as well as ongoing, personalized support no matter where you or your loved one are in the treatment journey with GOMEKLI.

Call SpringWorks CareConnections at 844-CARES-55 (844-227-3755)

Monday - Friday, 8 AM to 10 PM ET

to ask for more information or for help enrolling in the program





Financial Support May Be Available to Help You Save on GOMEKLI™ (mirdametinib)

We'll help determine if your insurance covers GOMEKLI and your potential out-of-pocket costs, as well as certain treatment-related costs that may be incurred during treatment with GOMEKLI.

Commercial Copay Program

Eligible patients with commercial insurance may pay as little as a

\$0 copay per 21-day supply of GOMEKLI.*

To learn more about the program and to enroll, visit gomeklicopay.com.

Reimbursement for eligible GOMEKLI treatment-related costs

SpringWorks
CareConnections™
may also help with
eligible out-of-pocket
costs for certain
treatment-related
tests, examinations,
and/or specialty visits
during treatment with
GOMEKLI.*

Patient Assistance Program (PAP)

Patients who are uninsured, underinsured, or lack coverage for GOMEKLI may be eligible to receive medication at no cost.†

Independent Patient Assistance Foundations:

Financial assistance may be available through independent foundations that are not controlled by or otherwise affiliated with SpringWorks Therapeutics. These foundations may be able to assist with, for example, copays, premiums, patient education, and social services.

This link is created by Real Endpoints. Real Endpoints is independent of SpringWorks Therapeutics. SpringWorks is providing a link to these foundations to help patients find more information about potential assistance, but inclusion on this list does not represent an endorsement or a recommendation from SpringWorks for any group or organization. The organizations listed are independent of SpringWorks and SpringWorks does not influence or control the operations of independent patient assistance foundations. SpringWorks cannot guarantee assistance will be provided. Details and eligibility requirements can be found directly on the individual foundation websites.

Explore additional foundations that may be able to help with financial assistance

Find foundations



^{*}Terms and conditions apply. Copay program for GOMEKLI and reimbursement for eligible treatment-related costs are subject to annual benefit maximums. To receive the reimbursement of eligible treatment-related expenses, an Explanation of Benefits (EOB) form must be submitted, along with copies of receipts for any payments made. Full terms and conditions provided during enrollment process and are available upon request by contacting SpringWorks CareConnections at 844-CARES-55 (844-227-3755).

[†]Terms and conditions apply. PAP eligibility criteria and annual household income limits apply. Full terms and conditions provided during enrollment process and are available upon request by contacting SpringWorks CareConnections at 844-CARES-55 (844-227-3755).



If Your Coverage Is Delayed, or You Experience a Gap in Coverage, These Programs May Help You or Your Loved One Receive Treatment

THE QUICK START PROGRAM

Available to eligible commercially insured patients and may help you or your loved one start on GOMEKLI™ (mirdametinib) at no cost for a limited period of time if your insurance company is delayed in making a coverage decision.*



If you are waiting to see if your insurance will cover GOMEKLI, talk to your doctor or call one of our Nurse Advocates to learn more about the Quick Start Program.

THE BRIDGE PROGRAM

Available to eligible commercially or government-insured patients and may provide you or your loved one with GOMEKLI at no cost for a limited period of time if you experience an interruption or gap in coverage.*



If you are currently on GOMEKLI and your insurance has changed, talk to your doctor or call one of our Nurse Advocates to learn more about the Bridge Program.

Call SpringWorks CareConnections™ today at 844-CARES-55 (844-227-3755) Monday - Friday, 8 AM - 10 PM ET or visit springworkstxcares.com/gomekli



^{*}Terms and conditions apply. Full terms and conditions provided during the enrollment process and are available upon request by contacting SpringWorks CareConnections at 844-CARES-55 (844-227-3755).



Our team of Nurse Advocates can provide treatment support as it relates to your condition as well as ongoing, personalized support no matter where you are in your treatment journey with GOMEKLI™ (mirdametinib)*

EDUCATIONAL AND EMOTIONAL SUPPORT

Our Nurse Advocates are available to*:

- Provide you with information on neurofibromatosis type 1-associated plexiform neurofibromas (NF1-PN)
- Help you or your loved one stay on track and take the medication as prescribed
- Answer questions to help you manage treatment
- Help plan conversations with your care team
- Help you understand treatment with GOMEKLI
- Work with your doctor's office and pharmacy so that you receive GOMEKLI as prescribed, including prescription refill reminders

Upon enrollment, expect a welcome call from a

Nurse Advocate to explain the program.

The call will come from SpringWorks CareConnections (502-805-3473)

Please add this number to your contact list so you recognize the call



^{*}The SpringWorks CareConnections Patient Support Program is not intended to take the place of your healthcare provider, and our team of Nurse Advocates cannot provide medical or clinical advice.

Additional Support Resources

RELEVANT WEBSITES

GOMEKLI™ (mirdametinib) Patient Site

click here

Disease State Information

click here

SpringWorks Therapeutics

click here

ORGANIZATIONS THAT CAN OFFER HELPFUL INFORMATION AND SUPPORT*

NF Collective

A group of nonprofit organizations dedicated to improving the lives of neurofibromatosis (NF) patients and their families by providing accurate and reliable information about NF resources and caregivers (https://nfcollective.org)

Children's Tumor Foundation

An organization dedicated to driving research, expanding knowledge, and advancing care for the NF community (https://ctf.org)

Neurofibromatosis Network

An organization advocating for NF research and building and supporting NF communities (https://nfnetwork.org)

Littlest Tumor Foundation

An organization dedicated to increasing understanding of NF, empowering affected families, and advancing the research of preventative therapies (https://littlesttumor.org)

^{*}SpringWorks is providing these links to help patients find more information about NF1-PN, but inclusion on this list does not represent an endorsement or a recommendation from SpringWorks for any group or organization. The organizations listed are independent of SpringWorks.



Getting Started With SpringWorks CareConnections™ Is Simple

For help enrolling in SpringWorks CareConnections, call us today at 844-CARES-55 (844-227-3755)

Monday - Friday, 8 AM - 10 PM ET

Please add this number to your contact list so you have it for quick reference

To start receiving personalized support from SpringWorks CareConnections for you or your loved one, first complete and submit an enrollment form, including the patient authorizations

OR



ONLINE ENROLLMENT

- Visit <u>springworkstxcares.com/gomekli</u> and click "Get Started"
- 2 Complete the online form, read and agree to the authorizations and certifications, sign, and click submit
- Expect a welcome call from one of our Nurse Advocates







EMAIL OR FAX ENROLLMENT

- Download, complete, and sign the required sections of the form, including the patient authorizations and certifications
- Send the completed form via email to info@springworkstxcares.com or fax it to 844-227-3747
- Expect a welcome call from one of our Nurse Advocates

A SpringWorks CareConnections team member will help you understand your benefits and discuss financial assistance that may be available



Whether You Are Living With or Caring for a Loved One With NF1-PN, SpringWorks CareConnections™ Can Provide Support and Encouragement to Help You or Your Loved One Stay on Track With Treatment With GOMEKLI™ (mirdametinib)



IF YOU HAVE BEEN PRESCRIBED GOMEKLI,

ask your doctor to help you enroll in SpringWorks CareConnections, so you can have access to support



FOR QUESTIONS AND FURTHER INFORMATION

on the support available through SpringWorks CareConnections, please call 844-CARES-55 (844-227-3755) Monday - Friday, 8 AM - 10 PM ET or visit springworkstxcares.com/gomekli



IMPORTANT SAFETY INFORMATION (cont'd)

Females who are able to become pregnant:

- o Your healthcare provider should check to see if you are pregnant before you begin treatment with GOMEKLI.
- Use effective birth control (contraception) during treatment with GOMEKLI and for 6 weeks after your last dose.
- Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with GOMEKLI.

Males with Female partners who are able to become pregnant:

- o Use effective birth control (contraception) during treatment with GOMEKLI and for 3 months after your last dose.
- Tell your healthcare provider right away if your female partner becomes pregnant or thinks she may be pregnant during treatment with GOMEKLI.
- are breastfeeding or plan to breastfeed. It is not known if GOMEKLI passes into your breastmilk.
 - o Do not breastfeed during treatment with GOMEKLI and for 1 week after your last dose.
 - o Talk to your healthcare provider about the best way to feed your baby during this time.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

How should I take GOMEKLI?

 Take GOMEKLI exactly as your healthcare provider tells you to take it. Your healthcare provider may change your dose, temporarily stop, or permanently stop treatment with GOMEKLI if you develop certain side effects.

- Take GOMEKLI twice a day, about 12 hours apart, for 21 days, followed by 7 days off treatment, to complete a 28-day treatment cycle. Your healthcare provider will decide how many treatment cycles are right for you.
- Take GOMEKLI with or without food.
- GOMEKLI comes in two different dosage forms, GOMEKLI capsules and GOMEKLI tablets for oral suspension. Your healthcare provider will decide the dosage form and dose of GOMEKLI that is right for you.
- If you take GOMEKLI capsules: Swallow each capsule whole with drinking water. If more than 1 capsule is required, swallow 1 capsule at a time. Do not open, break or chew the capsules.
- If you take GOMEKLI tablets for oral suspension, either:
 - Swallow each tablet for oral suspension whole with drinking water. If more than 1 tablet is required, swallow 1 tablet at a time.

OR

 Disperse the tablets for oral suspension in drinking water to make a liquid (suspension) before you take or give GOMEKLI.

See the "Instructions for Use" that come with your medicine for instructions on how to prepare and take GOMEKLI tablets for oral suspension.

- If you miss a dose of GOMEKLI, skip the missed dose and take your next dose at your regularly scheduled time.
- If you vomit at any time after taking GOMEKLI, do not take an additional dose.
 Take your next dose at your regularly scheduled time.



IMPORTANT SAFETY INFORMATION (cont'd)

What are the possible side effects of GOMEKLI?

GOMEKLI may cause serious side effects, including:

- eye problems. GOMEKLI may cause eye problems that can lead to blindness. Your healthcare provider will check your vision before and during treatment with GOMEKLI. Tell your healthcare provider right away if you get any of the following signs or symptoms of eye problems:
 - o blurred vision
 - o loss of vision
 - o other changes to your vision
- heart problems. GOMEKLI may lower the amount of blood pumped by your heart, which is common in children during treatment with GOMEKLI and can also be severe. Your healthcare provider will do tests before you start GOMEKLI treatment, every 3 months during your first year of treatment, and then as needed to make sure your heart is working properly. Tell your healthcare provider right away if you get any of the following signs or symptoms of heart problems:
 - o coughing or wheezing
 - o shortness of breath
 - o swelling of your ankles and feet
 - o tiredness
 - o increased heart rate
- **skin problems.** Skin rashes are common with GOMEKLI in both adults and children and can also be severe. GOMEKLI can also cause hair loss (alopecia). Tell your healthcare provider if you develop any of the following signs or symptoms of skin problems:
 - o flat skin rash
 - o raised bumps on the skin
 - o skin bumps that look like acne
 - o skin redness
 - o itchy rash
 - o peeling skin

The most common side effects of GOMEKLI in adults include:

- o diarrhea
- o nausea
- o muscle, joint, and bone pain
- o vomiting
- o tiredness

The most common severe abnormal blood tests in adults include an increased enzyme called creatine phosphokinase (CPK).

The most common side effects of GOMEKLI in children include:

- o diarrhea
- o muscle, joint, and bone pain
- o stomach (abdominal) pain
- o vomiting
- o headache
- o skin redness, swelling, or pain around the fingernails or toenails
- o nausea

The most common severe abnormal blood tests in children include decreased white blood cell (neutrophil) counts and increased CPK.

GOMEKLI may cause fertility problems in females, which may affect your ability to have children. Talk to your healthcare provider if you have concerns about fertility.

These are not all of the possible side effects of GOMEKLI. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.







FOR MORE INFORMATION ON SPRINGWORKS CARECONNECTIONS,

please call us at 844-CARES-55 (844-227-3755), Monday-Friday 8 AM-10 PM ET or visit springworkstxcares.com/gomekli

